| | Application No. | Applicant(s) | |
|---|--|---|---------------------------|
| | 09/900,423 | SELL ET AL. | |
| Notice of Allowability | Examin r | Art Unit | |
| | Hung T Vy | 2828 | ليهم |
| The MAILING DATE of this communication and All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3 | ppears on the c ver sheet we IS (OR REMAINS) CLOSED in 85) or other appropriate common religion is | n this application. If not include unication will be mailed in due | ed course. THIS |
| 1. \square This communication is responsive to $4/30/2004$. | | | |
| 2. The allowed claim(s) is/are <u>1-19,21,33 and 35-45</u> . | | | |
| 3. \boxtimes The drawings filed on $\underline{7/6/2001}$ are accepted by the Exa | aminer. | | |
| 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents h 2. Certified copies of the priority documents h 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | ave been received. ave been received in Application | on No | ition from the |
| Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | e a reply complying with the re | quirements |
| 5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which (| | | IOTICE OF |
| CORRECTED DRAWINGS (as "replacement sheets") replacement sheets") replacement sheets") replacement sheets") replacement sheets") replacement sheets and replacement sheets as the placement sheets as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such attached Examiner's comment regarding REQUIREMENT. | person's Patent Drawing Review | r in the Office action of the drawings in the front (not the FR 1.121(d). ERIAL must be submitted. I | |
| Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-94) 3. Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 12/12/2003) 4. Examiner's Comment Regarding Requirement for Depos of Biological Material DonWong Supervisory Patent Examiner | 8) 6. Interview S Paper No. 18/08), 7. Examiner's 18. Examiner's 19. Other | nformal Patent Application (PTo summary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allo | ŕ |
| Technology Center 2800 | | | |

Application/Control Number: 09/900,423

Art Unit: 2828

Reasons for All wanc

1. In response to the amendment filed on 04/30/2004, the application is allowed.

2. Claims 1-19,21, 33, 35-45 are allowed.

The following is an examiner's statement of reason for allowance:

None of the references of record teaches or suggests the claimed a apparatus, comprising: an external cavity laser having an external cavity and a laser source within the external cavity; a hermetically sealable container enclosing said external cavity laser in an inert atmosphere; an activated carbon drain positioned within said hermetically sealable container to absorb outgassing compound and a heat source thermally coupled to at least one of said laser source and said external cavity to maintain said at least one of said laser source and said external cavity at a **first temperature above a second temperature of said activated carbon drain** when said laser source is not powered to prevent contamination of said at least one of said laser source and said external cavity.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung Vy whose telephone number is (571) 272-1954. The examiner can normally be reached on Monday-Friday 8:30 am -

Page 3

Application/Control Number: 09/900,423

Final communications.

Art Unit: 2828

5:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7722 for After

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Hung T. Vy Art Unit 2828 June 8, 2004

Supervisory Patent Examiner

Technology Center 2800